

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	550	@ad<"20000225" and 713/202. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:25
L2	0	(@ad<"20000225" and 713/202. ccls.) and expendable with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:24
L3	69	(@ad<"20000225" and 713/202. ccls.) and one with time with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:24
L4	3	@ad<"19970827" and (temporary expendable) with password with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:22
L5	83	@ad<"19970827" and password with list same (single one once) and automatically	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:22
L6	19	gsm same telephone adj number same password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:22
L7	537	@ad<"19970827" and password with (telephone adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:22
L8	0	(@ad<"20000225" and 713/155. ccls.) and expendable with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:24
L9	20	(@ad<"20000225" and 713/155. ccls.) and one with time with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:24

L10	292	@ad<"20000225" and 713/155.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:25
S1	18817889	@ad<"20000225"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 11:34
S2	170	713/183.ccls. and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 08:47
S3	0	"passwords-plus"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 08:42
S4	29	password adj plus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 08:42
S5	44	S2 and password near2 (bank list database group store)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 09:16
S6	26	S2 and password with one with time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 08:56
S7	28	scratch with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 09:00
S8	2	S1 and expendable with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 09:03
S9	2	S1 and expendable near2 password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 09:03

S10	21	S1 and (expendable disposable) with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 09:11
S11	15499231	@ad<"19970827"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 09:15
S12	10	S11 and (expendable disposable) with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 09:19
S14	937	S11 and password near2 (set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 09:24
S15	23	S2 and password near2 (set) and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 09:22
S16	351	S11 and password adj (set)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 09:22
S17	114	S11 and password near2 (set) same (choose pick\$2 select\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 09:59
S18	60	S11 and automatic\$4 with select\$4 with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 10:02
S19	19	S11 and automatic\$4 with select\$4 near2 password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 10:09
S20	41	S18 not S19	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 10:16

S21	7	S11 and single with connection with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 10:20
S22	1	S11 and single near2 connection near2 password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 10:39
S23	1	"6112078".pn.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/04 10:20
S24	11	"6112078".URPN.	USPAT	OR	ON	2004/06/04 10:21
S25	10	("5175758" "5263178" "5315634" "5353328" "5490235" "5557639" "5604921" "5608778" "5668876" "5794142").PN.	USPAT	OR	ON	2004/06/04 10:21
S26	3	(S24 S25) and S11 and password	USPAT	OR	ON	2004/06/04 10:36
S27	2	S11 and (login log-in "log in" logon log-on) with password near2 (single adj use one adj time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 10:42
S28	26	S11 and (login log-in "log in" logon log-on) with password near2 (single one disposable expendable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/04 10:43
S29	0	single.ti. and sign.ti. and on.ti.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/04 11:33
S30	7	single with sign with on	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/04 11:34
S31	468	single with sign-on	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/04 11:34
S32	15	single with sign-on and S11	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/04 11:36
S33	25	single with sign-on.ti.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/04 11:42
S34	1	S11 and master near2 password same encrypt\$2 near2 passwords!	US-PGPUB; USPAT; IBM_TDB	OR	ON	2004/06/04 11:43

S35	483	@ad<"20000225" and 713/202.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/20 15:21
S36	0	(@ad<"20000225" and 713/202.ccls.) and expendable with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/17 13:05
S37	61	(@ad<"20000225" and 713/202.ccls.) and one with time with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/17 13:05
S38	3	@ad<"19970827" and (temporary expendable) with password with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/17 13:30
S39	17	@ad<"19970827" and password with list with (terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/17 13:35
S40	765	713/202.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/18 13:40
S41	251	713/202.ccls. and @ad<"19970827"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 11:38
S42	33	(713/202.ccls. and @ad<"19970827") and password with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 12:21
S43	439	@ad<"19970827" and password with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/18 15:38
S44	1	"5721779".PN.	USPAT	OR	OFF	2003/11/18 14:34
S45	1	"5606663".PN.	USPAT	OR	OFF	2003/11/18 14:34
S46	1	"5606315".PN.	USPAT	OR	OFF	2003/11/18 14:34
S47	1	"5581700".PN.	USPAT	OR	OFF	2003/11/18 14:36
S48	1	"5563947".PN.	USPAT	OR	OFF	2003/11/18 14:36

S49	1	"5555309".PN.	USPAT	OR	OFF	2003/11/18 14:36
S50	8	@ad<"19970827" and gsm and password with list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/18 14:37
S51	8	(@ad<"19970827" and password with list) and gsm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/18 15:02
S52	87	sormunen.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/18 15:02
S53	5	(kurki.inv. sormunen.inv.) and password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/18 15:03
S54	1	"5794142".PN.	USPAT	OR	OFF	2003/11/18 15:04
S55	1	"5668876".PN.	USPAT	OR	OFF	2003/11/18 15:05
S56	1	"5608778".PN.	USPAT	OR	OFF	2003/11/18 15:05
S57	1	"5557639".PN.	USPAT	OR	OFF	2003/11/18 15:05
S58	1	"5490235".PN.	USPAT	OR	OFF	2003/11/18 15:05
S59	1	"5353328".PN.	USPAT	OR	OFF	2003/11/18 15:06
S60	1	"5315634".PN.	USPAT	OR	OFF	2003/11/18 15:06
S61	150	@ad<"19970827" and password with list same (single one once)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/18 15:41
S62	83	@ad<"19970827" and password with list same (single one once) and automatically	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/18 15:42
S63	83	(@ad<"19970827" and password with list same (single one once)) and automatically	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/18 15:50
S64	15484157	@ad<"19970827"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 10:40

S65	535	@ad<"19970827" and password with (telephone adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 10:42
S66	13	@ad<"19970827" and password with (telephone adj number) with (add\$3 append combine)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 11:05
S67	2	"5373559".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 11:02
S68	22	@ad<"19970827" and password with (telephone adj number) with (list)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 12:13
S69	0	gsm same telephone adj number same password same append	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 12:22
S70	9	gsm same telephone adj number same password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 12:25
S71	34	append same telephone adj number same (password code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 12:57
S72	1	"5870677".PN.	USPAT	OR	OFF	2003/11/19 12:52
S73	1	"5692032".PN.	USPAT	OR	OFF	2003/11/19 12:55
S74	49	append same (telephone phone) adj number same (password code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 12:58
S75	15	(append same (telephone phone) adj number same (password code)) not (append same telephone adj number same (password code))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 14:15

S76	2	append same (telephone phone) adj number same (PIN)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 14:20
S77	0	append same (telephone phone) adj number same ((cardholder (card adj holder)) adj verification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 14:21
S78	65	((cardholder (card adj holder)) adj verification)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 14:21
S79	6	((cardholder (card adj holder)) adj verification) and gsm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 14:27
S80	2086	(PIN) and gsm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 14:28
S81	1276	(PIN and telephone) and gsm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 14:28
S82	229	(PIN with telephone) and gsm	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 14:29
S83	59	(PIN with telephone) and gsm and @ad<"19970827"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 15:31
S84	15484157	@ad<"19970827"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 15:31
S85	0	service adj directory same password same list	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 15:32

S86	7	service adj directory same password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 15:32
S87	3	(service adj directory same password) and @ad<"19970827"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 15:33
S88	191	master adj password with passwords	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 15:33
S89	74	master adj password! with passwords and @ad<"19970827"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 15:35
S90	74	master adj password with passwords and @ad<"19970827"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2003/11/19 15:35
S91	1	"6006333".pn.	US-PGPUB; USPAT; USOCR	OR	ON	2004/12/20 17:20
S92	15511499	@ad<"19970827"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:32
S93	6	S92 and single with use with password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:34
S94	10	S92 and (single one adj time) near3 use near3 password	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/20 17:32
S95	15514146	@ad<"19970827"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 11:38

S96	91	S95 and password with (single adj use one adj time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 11:41
S97	70	S95 and password near4 (single adj use one adj time)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/03/17 11:43